

# Notice of Allowability

Application No.

10/075,698

Examiner

Kevin Y Kim

Applicant(s)

DICK ET AL.

Art Unit

2634

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 1-18-2005.
2. ☒ The allowed claim(s) is/are 1-17.
3. ☐ The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☒ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date included herein.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 2/7, 4/27/ 05
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date concurrent .
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☒ Other 2 pages of drawings.

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jerald Halt, Jr. on May 31, 2005.

The application has been amended as follows:

#### In the claims.

##### Claim 1.

On line 1; delete "first"

On line 3; delete "each"

On line 4; delete "first"

On line 5; change "said first" to – of said at least one –

On line 6; after "that" delete "first"

On line 9; delete "first"

On line 10; change "said" to – the –

On line 12; delete "first"

change "measurement" to – measuring –

##### Claim 2.

Art Unit: 2634

On line 2; after “determining a” insert – more accurate –

change “each said first” to – other --

On line 3; change “station” to – stations --

change “making said measurement” to – performing said measuring –

On line 4; change “said first” to – of said at least one –

On line 5; change “said neighboring” to – the more accurate --

Claim 3.

On line 1, change “the time” to – a time –

Claim 4.

On line 2; delete “within a group comprising each said first base station”

Claim 6.

On line 1; change “adjustment is made” to – adjusting is performed –

Claim 7.

On line 1; after “updates” change “said” to – the –

On line 2; after “estimation” insert – of a timing accuracy –

Claim 8.

On line 2; after “said” insert – first, second and third –

Claim 9.

On line 1; delete “first”

On line 3; delete “each”

On line 4; delete “first”

Art Unit: 2634

On line 5; change "said first" to – of said at least one –

On line 8; delete "first"

On line 9; delete "first"

On line 10; change "stations" to – station –

change "said" to – the –

On line 12; delete "first"

Change "measurement" to – measuring –

Claim 10.

On line 1; delete "first"

after "said" insert – estimated --

Claim 11.

On line 2; after "determining a" insert – more accurate –

change "each said first" to – other –

On line 3; change "station" to – stations --

On line 4; change "each said first" to – said at least one –

On line 5; change "said neighboring" to – the more accurate --

Claim 12.

On line 1; change "said first" to – said at least one --

change "the time" to – a time –

Claim 13.

On line 2; delete "within a group comprising each said first base station"

Art Unit: 2634

Claim 15.

On line 1; change "adjustment is made" to – adjusting is performed –

Claim 16.

On line 1; after "updates" change "said" to – the –

On line 2; after "estimation" insert – of a timing accuracy –

Claim 17.

On line 2; after "said" insert – first, second and third –

2. The changes to the drawings have been approved by the examiner and agreed upon by applicant. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Rectangular boxes in Figs. 1-3 will be labeled as to their respective functions in accordance with their descriptions in the specification, as set forth in the attached drawings.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Y Kim whose telephone number is 571-272-3039. The examiner can normally be reached on 8AM --5PM M-F.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on 571-272-3056. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2634

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

kvk

  
**CHIEH M. FAN**  
**PRIMARY EXAMINER**






FIG. 2

FIG. 3

